

48 Frame Thru-Bolt Pool & Spa Motors

5.5" Diameter, Two Speed



FEATURES:

- Open Dripproof
- Thru Bolt Mount
- Class F Insulated
- 1081, 1563 & 1795 Design
- 50°C Ambient
- 3 o'clock Conduit
- Rigid Welded Base
- Thermally Protected
- 3 1/2" Shaft Height
- Shaft Thread – 3/8-16 UNC-2A RH
- Single Speed Switch Kit Available (X2972712900000L)
- Two Speed Switch Kit Available (X2972706600000L)
- **Discount Symbol: DS-FPS**

Two Speed, Soft Start

| HP | SF | RPM | Voltage | Freq | SF Amps | Catalog Number | List Price | Motor Frame | Length Less Shaft | Ship Wgt. | Notes |
|-----------|-----|-----------|---------|------|----------|----------------|------------|-------------|-------------------|-----------|---------|
| 1/2 / .06 | 1.0 | 3450/1725 | 115 | 60 | 6.4/2.8 | AGL50FL2 | \$232 | 48Y | 7.8 | 17 | 2, 3, 5 |
| 3/4 / .10 | 1.0 | 3450/1725 | 115 | 60 | 9.8/3.2 | AGL75FL2 | \$252 | 48Y | 7.8 | 20 | 2, 3, 4 |
| 1 / .12 | 1.0 | 3450/1725 | 115 | 60 | 10.3/3.8 | AGL10FL2S | \$268 | 48Y | 9.6 | 23 | 2, 4 |
| | 1.0 | 3450/1725 | 230 | 60 | 5.2/2.0 | AGH10FL2 | \$268 | 48Y | 9.6 | 23 | 2, 3, 4 |
| 1.5 / .18 | 1.0 | 3450/1725 | 115 | 60 | 16.4/4.4 | AGL15FL2CS | \$357 | 48Y | 10.2 | 26 | 2 |
| | 1.0 | 3450/1725 | 230 | 60 | 8.2/2.4 | AGH15FL2CS | \$357 | 48Y | 10.2 | 26 | 2 |
| | 1.0 | 3450/1725 | 115 | 60 | 13.6/3.6 | SPL15FL2S | \$379 | 48Y | 10.2 | 27 | 1 |
| 2 / .25 | 1.0 | 3450/1725 | 230 | 60 | 10.5/2.6 | *SPH20FL2CS | \$397 | 48Y | 10.2 | 29 | |
| | 1.0 | 3450/1725 | 230 | 60 | 8.6/3.4 | *SPH20FL2S | \$424 | 48Y | 10.2 | 30 | 1 |
| 2.5 / .33 | 1.0 | 3450/1725 | 230 | 60 | 11.0/3.3 | *SPH25FL2S | \$428 | 48Y | 10.2 | 32 | 1 |
| 3 / .38 | 1.0 | 3450/1725 | 230 | 60 | 12.7/3.4 | *SPH30FL2S | \$468 | 48Y | 10.6 | 35 | 1 |

Note 1 Capacitor start/capacitor run (extra low running amps)
 Note 2 416 Stainless Steel Extension
 Note 3 High speed start
 Note 4 1563 & 1795 desingn only

Note 5 Class B Insulated

*Meets California Energy Commission Appliance Regulations 2008 (Publication Number CEC-400-2006-002-REV1)

